

SPECIFICATIONS

Operation Temperature: -55°C to +105°C

Insulation Resistance: 1000MΩ Min.

Dielectric Voltage: 5000V AC for one minute

MATERIAL

Insulator: Nylon 66, UL94V-0 or UL94V-2

ORDER INFORMATION

5 H 6 3 5 0 X 0 - 1 X X W B L 0 0 C X X

M: Male
F: Female

1: Single Row


No. of Contacts
per Row

W:Natural


B:Bag

RoHS

01: UL94V-2
02: UL94V-0



5H6350M0-101WBL00CXX






5H6350F0-101WBL00CXX




Old P/N:6350H-M1XXW-L
6350H-F1XXW-L

	x1	Revise the drawing.	Gary 2018/10/02
	x1	Add an option: 02: UL94V-0.	Gary 2018/08/28
REV.		ECN NO. OR DESCRIPTION	REVISED DATE





 糧德精密有限公司 Amtek Technology Co., Ltd. TEL: 886-2-2260-6878 FAX: 886-2-2260-8030	品名 TITLE	6.35mm HOUSING WIRE SIDE				頁數 Page	1/4
	品號 PART NO.	5H6350X0-1XXWBL00CXX				繪圖 DRAWN	Jeff 2016/12/13
	圖號 DRAWING NO.	GW083-GB359	版本 REV.	C	核對 CHECKED	Jason 2018/10/02	
	客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Jason 2018/10/02	
	公差 TOLERANCE	.X ±0.40 .XX ±0.25	單位 UNIT	mm	THIRD ANGLE PROJECTION		






5H6350M0-103WBL00CXX




5H6350F0-103WBL00CXX



5H6350F0-102WBL00CXX



5H6350M0-102WBL00CXX




Old P/N:6350H-M1XXW-L
6350H-F1XXW-L

	Revise the drawing.	Gary	2018/10/02
	Add an option: 02: UL94V-0.	Gary	2018/08/28
REV.	ECN NO. OR DESCRIPTION	REVISED	DATE





糧德精密有限公司
Amtek Technology Co., Ltd.
TEL: 886-2-2260-6878
FAX: 886-2-2260-8030

品名 TITLE	6.35mm HOUSING WIRE SIDE				頁數 Page	2/4
品號 PART NO.	5H6350X0-1XXWBL00CXX				繪圖 DRAWN	Jeff 2018/10/02
圖號 DRAWING NO.	GW083-GB359	版本 REV.	C	核對 CHECKED	Josh 2018/10/02	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Jason 2018/10/02	
公差 TOLERANCE	.X ±0.40 .XX ±0.25	單位 UNIT	mm	THIRD ANGLE PROJECTION		




5H6350M0-105WBL00CXX

5H6350F0-105WBL00CXX



5H6350F0-104WBL00CXX

5H6350M0-104WBL00CXX



Old P/N:6350H-M1XXW-L
6350H-F1XXW-L

	Revise the drawing.	Gary	2018/10/02
	Add an option: 02: UL94V-0.	Gary	2018/08/28
REV.	ECN NO. OR DESCRIPTION	REVISED	DATE




糧德精密有限公司
Amtek Technology Co., Ltd.

TEL: 886-2-2260-6878
FAX: 886-2-2260-8030


品名 TITLE	6.35mm HOUSING WIRE SIDE				頁數 Page	3/4
品號 PART NO.	5H6350X0-1XXWBL00CXX				繪圖 DRAWN	Jeff 2016/12/13
圖號 DRAWING NO.	GW083-GB359	版本 REV.	C	核對 CHECKED	Josh 2018/10/02	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Jason 2018/10/02	
公差 TOLERANCE	.X ±0.40 .XX ±0.25	單位 UNIT	mm	THIRD ANGLE PROJECTION		




No. of Contacts	Dimensions(mm)		
	A	B	C
06	31.75	39.37	39.80
07	38.10	45.72	46.15
08	44.45	52.07	52.50
09	50.80	58.42	58.85
10	57.15	64.77	65.20



5H6350M0-1XXWBL00CXX(06 to 10)



5H6350F0-1XXWBL00CXX(06 to 10)



Old P/N:6350H-M1XXW-L
6350H-F1XXW-L

REV.	ECN NO. OR DESCRIPTION	REVISED	DATE
C x1	Revise the drawing.	Gary	2018/10/02
B x1	Add an option: 02: UL94V-0.	Gary	2018/08/28

 Amtek Technology Co., Ltd. TEL: 886-2-2260-6878 FAX: 886-2-2260-8030	品名 TITLE	6.35mm HOUSING WIRE SIDE				頁數 Page	4/4
	品號 PART NO.	5H6350X0-1XXWBL00CXX				繪圖 DRAWN	Jeff 2016/12/13
	圖號 DRAWING NO.	GW083-GB359	版本 REV.	C	核對 CHECKED	Josh 2018/10/02	
	客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Jason 2018/10/02	
	公差 TOLERANCE	.X ±0.40 .XX ±0.25	單位 UNIT	mm	THIRD ANGLE PROJECTION		