

ORDER INFORMATION

5 P C E 6 H S N 8 - 5 2 X X X X U - N 1

SPECIFICATION

CURRENT RATING: 0.5 A

TERMINATION RESISTANCE: 55mΩMAX.

INSULATION RESISTANCE: 500MΩMIN.

VOLTAGE RATING: 50V AC

TEMPERATURE RATING: -55° TO +85°

MATERIAL

INSULATOR: LCP,UL94V-0,BLACK





TERMINAL: COPPER ALLAY

PEGS: COPPER ALLOY

G0:GOLD FLASH

N:NON TYPE


H:W/O CAP REEL




REV.	ECN NO. OR DESCRIPTION	REVISED	DATE
B	ECN-202602046 Revise the drawing	Roland	2026/04/10
A	BPM 20240312003	Willy	2025/02/25


懌德精密有限公司
Amtek Technology Co., Ltd.
TEL: 886-2-2260-6878
FAX: 886-2-2260-8030

品名 TITLE	MINI PCI EXPRESS SMT R/A TYPE				頁數 Page	1/3
品號 PART NO.	5PCE6HSN8-52XXXXU-N1				繪圖 DRAWN	Willy 2025/02/25
圖號 DRAWING NO.	GW038-WW149	版本 REV.	B	核對 CHECKED	Josh 2025/02/25	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2025/02/25	
公差 TOLERANCE	.X±0.30 .XX±0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		



FOR PCI EXPRESS MINI CARD



品名 TITLE	MINI PCI EXPRESS SMT R/A TYPE				頁數 Page	2/3
品號 PART NO.	5PCE6HSN8-52XXXXU-N1				繪圖 DRAWN	Willy 2025/02/25
圖號 DRAWING NO.	GW038-WW149	版本 REV.	B	核對 CHECKED	Josh 2025/02/25	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2025/02/25	
公差 TOLERANCE	.X±0.30 .XX±0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		

ECN-202602046 Revise the drawing

Roland

2026/04/10

BPM 20240312003




Willy

2025/02/25

ECN NO. OR DESCRIPTION

REVISED

DATE



[-D-] IS THE TOP SURFACE OF PCB.
RECOMMENDED P.C. BOARD PATTERN LAYOUT
 FOR FULL CARD CONNECTOR
 (TOP VIEW)

 糧德精密有限公司 Amtek Technology Co., Ltd. TEL: 886-2-2260-6878 FAX: 886-2-2260-8030	品名 TITLE	MINI PCI EXPRESS SMT R/A TYPE				頁數 Page	3/3
	品號 PART NO.	5PCE6HSN8-52XXXXU-N1			繪圖 DRAWN	Willy 2025/02/25	
	圖號 DRAWING NO.	GW038-WW149	版本 REV.	B	核對 CHECKED	Josh 2025/02/25	
	客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2025/02/25	
	公差 TOLERANCE	.X±0.30 XX±0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		