

ORDER INFORMATION

5 P C E 6 H S N 9 - 5 2 X X X X U - N 1

SPECIFICATION

CURRENT RATING: 0.5 A

TERMINATION RESISTANCE: 55mΩMAX.

INSULATION RESISTANCE: 500MΩMIN.

VOLTAGE RATING: 50V AC

TEMPERATURE RATING: -55° TO +85°

MATERIAL

INSULATOR: LCP,UL94V-0,BLACK

TERMINAL : COPPER ALLAY


PEGS: COPPER ALLOY

G0:GOLD FLASH

N:NON TYPE

H:W/O CAP REEL


RoHS



B	ECN-202602046 Revise the drawing	Roland	2026/04/10
A	BPM 20240312003	Willy	2025/02/24
REV.	ECN NO. OR DESCRIPTION	REVISED	DATE

懽德精密有限公司
Amtek Technology Co., Ltd.TEL: 886-2-2260-6878
FAX: 886-2-2260-8030

品名 TITLE	MINI PCI EXPRESS SMT R/A TYPE				頁數 Page	1/3
品號 PART NO.	5PCE6HSN9-52XXXXU-N1				繪圖 DRAWN	Willy 2025/02/25
圖號 DRAWING NO.	GW038-WW146	版本 REV.	B	核對 CHECKED	Josh 2025/02/25	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2025/02/25	
公差 TOLERANCE	.X±0.30 .XX±0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		



DIM F	DIM G	
48.05	50.95	FULL-MINI CARD
23.9	26.8	HALF-MINI CARD

	ECN-202602046 Revise the drawing	Roland	2026/04/10
	BPM 20240312003	Willy	2025/02/24
REV.	ECN NO. OR DESCRIPTION	REVISED	DATE



品名 TITLE	MINI PCI EXPRESS SMT R/A TYPE				頁數 Page	2/3
品號 PART NO.	5PCE6HSN9-52XXXXU-N1			繪圖 DRAWN	Willy 2025/02/25	
圖號 DRAWING NO.	GW038-WW146	版本 REV.	B	核對 CHECKED	Josh 2025/02/25	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2025/02/25	
公差 TOLERANCE	.X±0.30 XX±0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		

	ECN-202602046 Revise the drawing	Roland	2026/04/10
	BPM 20240312003	Willy	2025/02/24
REV.	ECN NO. OR DESCRIPTION	REVISED	DATE