

SPECIFICATION

Current Rating: 0.5 Amp

Contact Resistance: 55mΩMax.

Insulation Resistance: 500MΩMin.

Dielectric Voltage: 300V AC for one minute

Operating Temperature: -55° to +85°

MATERIAL

Housing: LCP,UL94V-0,Black Color

Contact : Phosphor Bronze

Pegs: Copper Alloy

ORDER INFORMATION

5 P C E 6 H S N K - 5 2 X X N X U - N 1





S:Standard

No. of contacts

G0:Gold Flash

H:Tape & Reel

RoHS



 耀德精密有限公司 Amtek Technology Co., Ltd. TEL: 886-2-2260-6878 FAX: 886-2-2260-8030	品名 TITLE	MINI PCI EXPRESS				頁數 Page	1/4
	品號 PART NO.	5PCE6HSNK-52XXNXU-N1				繪圖 DRAWN	Benson 2023/09/22
	圖號 DRAWING NO.	GW038-BE425	版本 REV.	A	核對 CHECKED	Josh 2023/09/22	
	客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2023/09/22	
	公差 TOLERANCE	.X ± 0.30 .XX ± 0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		

Easy Flow NO.: 202309210005

Benson

2023/09/22




REV.


ECN NO. OR DESCRIPTION

REVISED

DATE



DIM F	DIM G	
48.05	50.95	FULL-MINI CARD
23.9	26.8	HALF-MINI CARD



FOR PCI EXPRESS MINI CARD

NOTES:

CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES
PLATING AND/OR METALLIZATION.

EDGE BEVEL MUST BE PRESENT AND FREE OF CUTTING
BURRS FROM PCB AND CONTACT MATERIALS.

 糧德精密有限公司 Amtek Technology Co., Ltd. TEL: 886-2-2260-6878 FAX: 886-2-2260-8030	品名 TITLE	MINI PCI EXPRESS				頁數 Page	2/4
	品號 PART NO.	5PCE6HSNK-52XXNXU-N1				繪圖 DRAWN	Benson 2023/09/22
	圖號 DRAWING NO.	GW038-BE425	版本 REV.	A	核對 CHECKED	Josh 2023/09/22	
	客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2023/09/22	
	公差 TOLERANCE	.X ± 0.30 .XX ± 0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		

Easy Flow NO.: 202309210005

Benson

2023/09/22

ECN NO. OR DESCRIPTION

REVISED

DATE








AMTEK 糧德

2023.09.23

Released DCC


DIM P	DIM M	
48.05	50.8	FULL CARD
23.9	26.8	HALF CARD

COMPONENT AND ROUTING (ALL LAYERS)
KEEP OUT AREA FOR HOLD DOWN SOLUTIONS

NOTES:

CARD THICKNESS APPLIES ACROSS TABS AND INCLUDES
PLATING AND/OR METALLIZATION.EDGE BEVEL MUST BE PRESENT AND FREE OF CUTTING
BURRS FROM PCB AND CONTACT MATERIALS.COMPONENT AND ROUTING (TOP/BOTTOM LAYER) KEEP
OUT AREA FOR HOLD DOWN SOLUTIONS.

FOR mSATA



品名 TITLE	MINI PCI EXPRESS				頁數 Page	3/4
品號 PART NO.	5PCE6HSNK-52XXNXU-N1				繪圖 DRAWN	Benson 2023/09/22
圖號 DRAWING NO.	GW038-BE425	版本 REV.	A	核對 CHECKED	Josh 2023/09/22	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2023/09/22	
公差 TOLERANCE	.X ± 0.30 .XX ± 0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		

Easy Flow NO.: 202309210005

Benson

2023/09/22

ECN NO. OR DESCRIPTION

REVISED

DATE



品名 TITLE	MINI PCI EXPRESS				頁數 Page	4/4
品號 PART NO.	5PCE6HSNK-52XXNXU-N1			繪圖 DRAWN	Benson 2023/09/22	
圖號 DRAWING NO.	GW038-BE425	版本 REV.	A	核對 CHECKED	Josh 2023/09/22	
客戶品號 CUSTOMER P/N		比例 SCALE	None	承認 APPROVED	Josh 2023/09/22	
公差 TOLERANCE	.X ± 0.30 .XX ± 0.20	單位 UNIT	mm	THIRD ANGLE PROJECTION		